

The method for controlling the termination date of
electrical documents

BACKGROUND OF THE INVENTION

5

1. Field of the invention

The present invention relates to a method for
controlling the termination date of electrical
documents, and more particularly, to a method for
10 downloading electrical documents from the internet to
a reading device and denying access to the electrical
documents if the current date has exceeded the
termination date.

15 2. Description of prior art

Due to rapid advances in internet technology,
information can be exchanged between all parts of the
world both quickly and easily. In the past, to purchase
a book, one had to personally go to a bookstore whereas
20 nowadays, one only needs to sit in the comfort of one's
own home and search for and order the desired book over
the internet.

However, the more books purchased, the more space
25 required for their storage. Thus, digitizing the
contents of a book into the form of an electrical
document is proposed to solve the above-mentioned
problem. With little effort, a consumer can rent the
desired electrical document for a specified time
30 period and download it from the internet to his or her
computer to be read. Reading information on paper is
still the norm, but consumers are slowly adjusting to

These and other objectives of the present invention will no doubt become obvious to those of ordinary skill in the art after reading the following detailed description of the preferred embodiment which is illustrated in the various figures and drawings.

Fig.1 is a schematic diagram of networks of the present invention for controlling the termination date of electrical documents.

Fig.2 is a function block diagram of the server of the present invention networks.

Fig.3 is a function block diagram of the terminal of the present invention networks.

Fig.4 is a flow chart of the process of renting electrical documents from the server of the present invention networks.

Fig.5A, B and C are flow charts of the process of reading electrical documents of the present invention networks.

Please refer to Fig.1 of a schematic diagram of networks 100, for controlling the termination date of electrical documents, of the present invention. The networks 100 include a server 102 connected to the internet 104 via a firewall 103, and a plurality of terminals 106, 108 and 110 connected to the internet 104. The firewall 103 filters packages from the internet 104 and allows certain registered internet services like telnet, e-mail, or FTP to connect to the internet 104, and ensures both the configuration and information of the server 102 do not become hacked.

Each terminal 106, 108 and 110 can be a desktop computer, notebook computer, PDA or any other device capable of connecting to the internet 104.

5 Please refer to Fig.2 of a function block diagram of the server 102 of the present invention networks 100. The server 102 includes an interface module 210, a public programs module 220, an encryption module 250, an administration module 260, a database 270 and a
10 renting control center 280.

The interface module 210 of the server 102, connected to the firewall 103, exchanges information with the internet 104 and conducts appropriate
15 information conversions when required. The public programs module 220 stores every kind of public program open to users as controlled by the server 102, for example, an application program allowing a user to register, download, and read electrical documents. The
20 encryption module 250 is used to encrypt the plaintext of the electrical documents which can be later sent to users after completing the procedures of renting electrical documents. The administration module 260 is used to process the orderings of the electrical
25 documents. The database 270 includes at least two sub databases, a user information database 272 and an electrical document database 276.

The user information database 272 stores user
30 information while the electrical document database 276 stores the plaintext of the electrical documents, all having their own document codes for identification or

query. The renting control center 280 is used to control the server 102 and all its modules or databases, as well as the information flowing between them.

5 Please refer to Fig.3 of a function block diagram of the terminals 106 of the present invention networks 100. The terminals 106, which can be PCs or PDAs, include CPUs 310, storage devices like memory 350 and hard disks 360, the internet cards 320, input devices
10 like keyboards 330, and output devices like monitors 340 respectively. To exchange information with the server 102, the terminals 106 have to download an application program 352, which allows users to register, download, and read electrical documents from
15 the public program module 220 of the server 102, or the internet 104. The application program 352 is stored in the hard disk 360 of the terminals 106. When users execute the application program 352, it is loaded to the memory 350 and executed by the CPUs 310. The
20 application program 352 includes at least three program modules like a storing position checking module 354, a time imprinting module 356 and a termination date checking module 358, all able to be downloaded by the users at any given time.

25

Before renting electrical documents from the server 102, users have to download the application program 352 from the internet 104 and the application program 352 will set a specific storing position 370, like a
30 specific track or a specific sector, for the electrical documents. The position information 372 of the specific storing position 370 is recorded for

subsequent storing position examination. When users execute the application program 352 of the terminals 106, it searches the electrical documents desired by the users on the internet 104, and sets the termination date of the documents in terms of days or hours. The application program 352 denies access to the electrical documents when total reading hours exceed predetermined reading hours or when the current date has exceeded the termination date.

10

The administration module 260 of the server 102 processes the orderings of the electrical documents to verify which electrical documents will be rented as well as the exact termination date. After verifying the contents of the orderings of the electrical documents, the renting control center 280 (of Fig.2) encrypts the current date, the termination date, and the plaintext of the electrical documents to a corresponding ciphertext and transfers the ciphertext to the terminals 106. After receiving the ciphertext, the application program 352 of the terminals 106 stores the ciphertext in the specific storing position 370 of the hard disk 360.

25 The position information 372, a termination date information 374, a current time information 376 and the electrical documents 378 are stored in the specific position 370. The termination date information 374 describes the condition of the termination date whether it be by date or hours, and the current time information 376 records the time the renting control center 280 accepts the orderings of the electrical

documents. The position information 372 functions to record the storing position of the hard disk 360 of the electrical documents. If users rent another electrical document 388, the application program 352
5 sets another specific storing position 380 of the hard disk 360 in the same previous manner. The application program 352 stores the content, the termination date information 384, and the current date information 386 of the electrical document 388 in the specific storing
10 position 380. The position information 382 functions to record the storing position 380 of the electrical document 388. Since the information stored in the specific storing position 370 or 380 is encrypted, users intending to read the electrical document must
15 designate the encryption to a corresponding electrical document.

Please refer to Fig.4 of a flow chart 400 of renting electrical documents from the server 102 of the present
20 invention networks 100.

Step 402: starting;
Step 404: downloading the application program 352 to the terminal 106;
Step 406: the application program 352 of the
25 terminal 106 connecting to the server 102 of the internet 104;
Step 408: choosing the desired electrical documents;
Step 410: user choosing the termination date in
30 terms of date or hours;
Step 412: user offering the corresponding trade information, for example, credit card numbers,

titles of the desired electrical documents or terms of the termination date, etc. to the server 102;

- 5 Step 414: the administration module 260 processing the orderings of the electrical documents;
- Step 416: encrypting the current date, terms of the termination date or plaintext of the electrical documents to the corresponding ciphertext;
- 10 Step 418: the server 102 transferring the corresponding ciphertext to the terminal 106;
- Step 420: the application program 352 of the terminal 106 storing the ciphertext in a predetermined storing position 370 of the hard disk 360;
- 15 Step 422: ending;

- When users intend to read an electrical document, the application program 352 determines whether the current storing position and the recorded storing
- 20 position 370 match. More specifically, the storing position checking module 354 matches whether the recorded position information 372 is the same as the current storing position to prevent unauthorized changes in the contents of the electrical document.
- 25 If the termination date 374 or the current date information 376 of an electrical document is changed, difficulty occurs in storing the change in the original storing position whereby hacking of the encrypted electrical document is detected to stop the
- 30 deciphering of the ciphertext of the electrical document 378. If the current storing position of the electrical document matches the recorded storing

position 372, hacking of the encrypted electrical document is not detected, and the application program 352 deciphers the ciphertext of the electrical document 378.

5

The two conditions, date or hours, of the termination date for users, allow the termination date checking module 358 to judge the expiration of electrical documents. When users start reading the contents of the electrical documents, the application program 352 begins recording. More specifically, the termination date examining module 358 attaches the total reading hours information to the termination date information 374 of the storing position 374. The time imprinting module 356 of the application program 352 continually updates and stores the current date in the current time information 376 of the storing position 370. Every time users start reading the electrical documents, the termination date examining module 358 examines the termination date information 374 and the current time information 376 recorded in the storing position 370.

When the current date has exceeded the termination date or when the total reading hours exceeds a predetermined reading hours, the application program 352 informs users the electrical document is expired and denies its access.

As well, the time imprinting module 356 of the application program 352 updates and stores the current date in the storing position during the time users read

the electrical documents as a way to prevent users from changing the time on their own computers in order to read for a longer time period. Every time users execute the application program 352 for reading the electrical documents, the termination date examining module 358 examines the termination date information 374 of the storing position 370 to verify that the time of the users' own computers has not exceeded the termination date, and the total reading hours have not exceeded the predetermined reading hours. Because the time imprinting module 356 continually updates and stores the current time in the current date information 376, users are unable to read the electrical documents for a time longer than the set period by changing the time on their own computers.

Please refer to Fig.5 A,B, and C of a flow chart 500 of reading the electrical documents of the present invention networks 100.

20 Step 502: starting;
Step 504: executing the application program 352 of the terminal 106 for reading a specific electrical document(E);
Step 506: the application program 352 deciphering
25 the ciphertext of the electrical document stored in the corresponding storing position;
Step 508: the storing position checking module 354 retrieving the storing position information (P)372 of the electrical document(E);
30 Step 510: the storing position checking module 354 retrieving the storing position information (Pc) of the current storing position 370;

Step 512: matching the storing position information(P)372 with the storing position information(Pc) of the current storing position 370; if yes to Step 516, if no to Step 514;

5 Step 514: the storing position information being changed; stopping the application program 352 and to Step 548;

Step 516: time imprinting module 356 storing the date(Dc) and the time(Tc) retrieved from the

10 terminal 106 in the current date information 376;

Step 518: the time imprinting module 356 matching whether Dc and Tc are both earlier than the previous stored date (Dp) and the previous

15 stored time (Tp) in the current date information(T); if yes to Step 520, if no to Step 522;

Step 520: the date or the time of the users' own computers being changed; stopping the

20 application program 352 and to Step 548;

Step 522: the termination date examining module 358 examining the terms of the termination date information(R)374;

Step 524: to Step 526 if renting for a specific

25 period of time; to Step 532 if for renting a predetermined reading hours;

Step 526: the termination date examining module 358 examining whether the termination date has arrived; if yes to step 528, if no to Step 538;

30 Step 528: informing users the electrical document is expired;

Step 530: stopping the application program 352 and

to Step 548;

Step 532: the termination date examining module 358
examining whether the total reading hours of the
electrical document exceeds the predetermined
5 total reading hours; yes to Step 534, no to Step
538;

Step 534: informing users the electrical document
is expired;

Step 536: stopping the application program 352 and
10 to Step 548;

Step 538: the application program 352 deciphering
the ciphertext of the electrical document
(E)378;

Step 540: user reading the plaintext of the
15 electrical document;

Step 542: the time imprinting module 356
continually updating and storing the current
time and date in the current date information
(T)376;

20 Step 544: the termination date examining module 358
examining whether the termination date has
arrived or whether the total reading hours has
exceeded the predetermined total reading hours;
if yes to Step 548, if no to Step 546;

25 Step 546: reading electrical document; if yes to
Step 540, if no to Step 548;

Step 548: ending;

In contrast to the prior art, the advantages of the
30 present invention networks 100 are 1) a variety of
application programs 352 can be operating platforms
compiled in advance and executed in different kinds

of machines and operating systems, preventing electrical documents spreading illegally and not preventing the spread of the application programs 352 themselves but encouraging users to use electrical documents more often, 2) preventing the electrical document being transmitted without permission even if the electrical document is rent legally because the storing position checking module 354 retrieves the storing position of the electrical document and the storing position information of the current storing position and matches both of them to assure they are the same, 3) the storing position checking module 354 prevents the electrical document being rent legally but the plaintext about the termination date information 374 or the current time information 376 of the electrical document being changed without permission even if the ciphertext of the electrical document is hacked and the plaintext of the electrical document is changed without permission, then the storing position checking module 354 denying any further accesses to the electrical document because the storing position information of the current storing position not the same as the previous storing position information, 4) the time imprinting module 356 preventing users from gaining a longer time period for reading the electrical documents by the alteration of the time and date of their own computers because the time imprinting module 356 attaching the current time and the current date to the current date information 376, updating and storing the current time and date in the current date information everytime user reading the electrical document and denying accesses

to the electrical document if the current date and time
of users' own computers being earlier than those of
the current date information stored previously and
5) the information of the electrical document being
5 kept private through the encryption of the information
and no chance for occurrence of peeps.

Those skilled in the art will readily observe that
numerous modifications and alterations of the device
10 may be made while retaining the teachings of the
invention. Accordingly, the above disclosure should
be construed as limited only by the metes and bounds
of the appended claims.